

AUDÈRE

W E D A R E



P R O D U C T C A T A L O G

2022



OUR COMPANY

Audere is a Latin word which means “to dare” and is the foundational principle of this company based in San Marino, where it has been established in 2017 as a manufacturer of firearm accessories. Whilst design, engineering and manufacturing of branded product series is its core business, Audere built up a considerable portfolio of customers as an OEM, including major operators of the arms industry, in less than two years. Thanks to its multidisciplinary team of professionals from both mechanical and firearm fields, the company is able to follow products development during

its entire process, in compliance with project requirements. Currently, main product series include optic mounts, rail systems and muzzle devices, nevertheless the R&D department is continuously focused on progress, designing and prototyping future series by means of latest technologies. Audere’s customer base comprises a broad spectrum of users coming from military forces, law enforcement, shooting sports and hunting. Customer service monitors users’ feedbacks in order to constantly improve its own competencies and collect valuable information for other departments.

OUR VISION

The redefinition of weapon improvement

OUR MISSION

- To impose the Audere brand as a major manufacturer in the market of firearm accessories
- To be a reliable partner for best operators of the arms industry
- To improve existing standards via advancements from other sectors
- To create a solid network of local suppliers, contributing to their growth
- To add prestige to the Italian quality and consolidate “Made in Italy” worldwide
- To advise and educate customer base by means of events and activities

INDEX

ADVERSUS™ SCOPE MOUNTS	002
LEVITAS™ CANTILEVER MOUNTS	004
PSR™ SCOPE RINGS	005
PSR DOVETAIL™ SCOPE RINGS	006
AIMPOINT® MOUNTS	006
HMB™ MUZZLE BRAKES	007
IMPERIUM™ MUZZLE BRAKES	008
QUARTER STROKE™ MUZZLE BRAKES	009
SOW™ MUZZLE BRAKE	010
TSO™ COMPENSATOR	010
CELERITAS™ MAG RELEASE	011
NATO RAILS	012
TOOLS	013

ADVERSUS™

The Adversus™ series, compatible with any 1913 or NATO rail, is optimized for its use on sniper rifle platforms and target users from military forces, law enforcement and shooting sports. The ScopeLink™ interfaces, situated all over the base and caps, make it acts as a modular system configurable by attaching multiple optical accessories.

Each part is CNC machined from a single piece of 7075 aluminium, this allows us to keep tolerances which guarantee the best return to zero. Their design ensures required system's pressure and stability in all conditions to prevent any shift of the scope, without provoking its deformation or damage.

- Extremely solid and durable mounts
- ScopeLink™ interface for attaching optical accessories
- Designed to maximize zero repeatability
- Compatible with any 1913 or NATO rail
- Manufactured from 7075-T651 aluminium
- Finished with Type 3 Hardcoat anodizing



MILITARY





LAW
ENFORCEMENT




SHOOTING
SPORTS



HUNTING




MOUNTS




DIAM	H	L	A	MOA	WEIGHT	CODE*
30	28	125	55	0	267g	AD0006
30	34	125	55	0	296g	AD0007
30	38	125	55	0	317g	AD0008
30	38	125	55	20	315g	AD0009
30	38	125	55	40	313g	AD0011
34	28	125	55	0	275g	AD0012
34	34	125	55	0	310g	AD0013
34	38	125	55	0	326g	AD0014
34	38	125	55	20	324g	AD0015
34	38	125	55	40	322g	AD0016
35	38	125	55	0	327g	AD0117
35	38	125	55	20	326g	AD0118
36	38	125	55	0	312g	AD0123
36	38	125	55	20	310g	AD0124
40	38	125	55	0	327g	AD0120
40	38	125	55	20	325g	AD0121
35	38	145	75	0	339g	AD0017
35	38	145	75	25	336g	AD0018
40	38	145	75	0	338g	AD0020
40	38	145	75	25	335g	AD0021

RAILS



WEIGHT	CODE
20g	SL0001/A



WEIGHT	CODE
43g	SL0002/A

*AVAILABLE FINISHES



MATTE BLACK	"CODE" /A
HEAVY BRONZE	"CODE" /F

LEVITAS™

The Levitas™ is a multi-purpose scope attachment ideal for auto and semi-auto rifles. Its compactness allows a wide range of mounting options. Despite its lightness, the mount can withstand the severest calibers thanks to a new, sturdy clamping system. The mount also features our proven ScopeLink™ interface that allows the mounting of back-up sights both at the top and at 45 degrees, maintaining reduced dimensions. The level vial and 20MOA tilting options make it suitable for long range applications.

- Sturdy, lightweight cantilever mounts
- Four ScopeLink™ interfaces for attaching optical accessories
- Compatible with any 1913 or NATO rail
- Manufactured from 7075-T651 aluminium
- Finished with Type 3 Hardcoat anodizing

MOUNTS




DIAM	MOA	WEIGHT	CODE*
30	0	197g	LV0001
30	20	199g	LV0002
34	0	190g	LV0003
34	20	193g	LV0004

*AVAILABLE FINISHES

MATTE BLACK "CODE" /A
HEAVY BRONZE "CODE" /F

RAIL



WEIGHT	CODE
20g	SL0005/A



MILITARY




LAW
ENFORCEMENT



SHOOTING
SPORTS




HUNTING



The PSR™ scope rings series is compatible with any 1913 or NATO rail and features a ScopeLink™ interface situated on one cap that allows the mounting of multiple optical accessories. This latest generation sees improved reliability under stress conditions and the addition of a recoil lug, a bubble level, a new one-screw clamping system which speeds up the assembly.


- Lightweight and durable scope rings
- ScopeLink™ interface for attaching optical accessories
- Compatible with any 1913 or NATO rail
- Manufactured from 7075-T651 aluminium
- Finished with Type 3 Hardcoat anodizing

RINGS



DIAM	H	WEIGHT	CODE
1"	26	139g	PR0001/A
1"	34	172g	PR0003/A
30	26	144g	PR0005/A
30	34	179g	PR0007/A
30	37	191g	PR0008/A
34	28	145g	PR0009/A
34	34	170g	PR0011/A
34	37	183g	PR0012/A
35	32	161g	PR0014/A
35	36	178g	PR0015/A
36	32	160g	PR0018/A
36	36	177g	PR0019/A
40	32	155g	PR0022/A
40	36	172g	PR0023/A

RAIL



WEIGHT	CODE
20g	SL0005/A



MILITARY




LAW
ENFORCEMENT



SHOOTING
SPORTS



HUNTING




PSR DOVETAIL™

The PSR Dovetail™ series is optimized for shooting sports, it is compatible with both 11mm and Kelbly dovetail rails. The rings are compatible with PSR™ ScopeLink™ caps in order to allow further platform enhancements.

- Lightweight and durable scope rings
- Compatible with 11mm and Kelbly dovetail rails
- Manufactured from 7075-T651 aluminium
- Stainless steel clamping screws
- Finished with Type 3 Hardcoat anodizing

RINGS



DIAM	H	WEIGHT	CODE
30	30	142g	PD0006
30	34	156g	PD0007
34	30	134g	PD0010
34	34	148g	PD0011



MILITARY



LAW
ENFORCEMENT



SHOOTING
SPORTS



HUNTING



AIMPOINT®


Aluminium mounts for Aimpoint T1 and similarly mounted red dot optics.
Fully machined, match both Picatinny and Weaver rails, low profile design.
Type 3 Hardcoat anodizing for the best durability.

PLATFORM	WEIGHT	CODE
PICATINNY / WEAVER	35g	RD0001
BROWNING BAR / BENELLI ARGO	37g	RD0002




The HMB™ series targets users from hunting, it is available in .30 Cal with various threads and two finishes.

- Reduced recoil and muzzle movement
- Available in multiple threads
- Manufactured from High-Grade steel or stainless steel
- Black oxide finish for High-Grade steel models and satin finish for stainless steel models



CAL	THREAD	FINISH	WEIGHT	CODE
.30 / 7.62	5/8"-24	SATIN	61g	HM0001
.30 / 7.62	5/8"-24	BLACK OXIDE	60g	HM0002
.30 / 7.62	M15 X 1	SATIN	64g	HM0005
.30 / 7.62	M15 X 1	BLACK OXIDE	63g	HM0006
.30 / 7.62	M14 X 1	SATIN	67g	HM0007
.30 / 7.62	M14 X 1	BLACK OXIDE	66g	HM0008
.30 / 7.62	1/2"-20	SATIN	71g	HM0009
.30 / 7.62	1/2"-20	BLACK OXIDE	70g	HM0010



CAL	THREAD	FINISH	WEIGHT	CODE
.30 / 7.62	M18 X 1	SATIN	102g	HM0003
.30 / 7.62	M18 X 1	BLACK OXIDE	101g	HM0004



MILITARY




LAW
ENFORCEMENT



SHOOTING
SPORTS




HUNTING




IMPERIUM™

The Imperium™ muzzle brake series targets users from military forces, law enforcement and shooting sports. Made of High-Grade steel and black nitride finished, the series is designed to reduce recoil and muzzle movements.


- Heavy reduction of recoil and muzzle movements
- Available in various calibers and threads
- Manufactured from High-Grade steel
- Black nitride finish
- Jam nut included on selected models



CAL	THREAD	WEIGHT	CODE
.30 / 7.62	5/8"-24	121g	IM0001
.30 / 7.62	M18 X 1	113g	IM0002
.30 / 7.62	M15 X 1	124g	IM0003
6.5	5/8"-24	123g	IM0005
6.5	M18 X 1	115g	IM0006
6.5	M15 X 1	127g	IM0007
.243 / 6	5/8"-24	124g	IM0009
.243 / 6	M18 X 1	116g	IM0010



CAL	THREAD	WEIGHT	CODE
.30 / 7.62	5/8"-24	95g	IS0001*
.30 / 7.62	M18 X 1	87g	IS0003*



CAL	THREAD	WEIGHT	CODE
.338	5/8"-24	111g	IM0014
.338	M18 X 1	103g	IM0015



MILITARY




LAW
ENFORCEMENT



SHOOTING
SPORTS



HUNTING




*JAM NUT NOT AVAILABLE, WASHERS INCLUDED




QUARTER STROKE™

The Quarter Stroke™ muzzle brake series targets users from military forces, law enforcement and shooting sports. Made of High-Grade steel and black nitride finished, this brand-new series is specifically designed for auto and semi-auto weapons in order to guarantee an efficient reduction of both recoil and muzzle movements.


- Self-Timing system for an easy installation
- Heavy reduction of recoil and muzzle movements
- Available in various calibers and threads
- Manufactured from High-Grade steel
- Black nitride finish



CAL	THREAD	WEIGHT	CODE
.223 / 5.56	1/2"-28	105g	QS0001
.223 / 5.56	M15 X 1	99g	QS0002



CAL	THREAD	WEIGHT	CODE
.30 / 7.62 (.308 W)	5/8"-24	112g	QS0011



CAL	THREAD	WEIGHT	CODE
.30 / 7.62 (300 BLK)	5/8"-24	93g	QS0021

CLOSE QUARTER™

MID QUARTER™

NO QUARTER™



MILITARY




LAW
ENFORCEMENT



SHOOTING
SPORTS



HUNTING



SOW™



MILITARY



LAW
ENFORCEMENT




SHOOTING
SPORTS



HUNTING

Specifically designed for the 7,62x39 cartridge to reduce recoil and muzzle movements. Made of High-Grade steel and finished by nitriding and post-oxidation. Each muzzle brake is CNC machined from a single piece.

- Designed for AK platform (compatible with STG 58)
- Heavy reduction of recoil and muzzle movements
- Manufactured from High-Grade steel
- Black nitride finish



CAL	THREAD	WEIGHT	CODE
.30 / 7.62	M14 X 1 LH	94g	SW0001



TSO™



MILITARY



LAW
ENFORCEMENT




SHOOTING
SPORTS



HUNTING

Compensator designed for 9mm cartridge to reduce muzzle movements. Made of High-Grade steel and finished by nitriding and post-oxidation. Each muzzle brake is CNC machined from a single piece.

- Reduced muzzle movements
- Manufactured from High-Grade steel
- Black nitride finish




CAL	THREAD	WEIGHT	CODE
9	1/2" - 28	73g	TS0001



CELERITAS™

The design of the Celeritas™ Glock mag release meets both practical and sports requirements. Its extended gripping surface allows an easier and more comfortable reaching. The tilted side avoids involuntary releases. It is made of 7075-T651 aluminium and finished with Type 3 Hardcoat anodizing.

- Compatible with all Gen 4 and Gen 5 small frame Glock
- Designed to perform faster magazine changes
- Manufactured from 7075-T651 aluminium
- Finished with Type 3 Hardcoat anodizing



FINISH	WEIGHT	CODE
BLACK	4g	CS0001/A
SILVER	4g	CS0001/W



MILITARY




LAW
ENFORCEMENT



SHOOTING
SPORTS



HUNTING



NATO RAILS



MILITARY



LAW
ENFORCEMENT



SHOOTING
SPORTS




HUNTING

Our series of NATO rails allows the mounting of a wide range of optics and tactical sight devices on various popular platforms. Each rail is CNC machined from a single piece of High-Grade steel or 7075-T651 aluminium. Rails for other platforms are available upon request.

- Extremely solid and reliable rails
- Manufactured from High-grade steel or 7075-T651 aluminium
- Black nitride finish for steel rails, Type 3 Hardcoat anodizing finish for aluminium rails

PLATFORM	MATERIAL	MOA	WEIGHT	CODE
BROWNING BAR / BENELLI ARGO	STEEL	0	112g	NR0001
BROWNING BAR / BENELLI ARGO	ALU	0	39g	NR0002
FRANCHI HORIZON / MOMENTUM	STEEL	0	131g	NR0003
FRANCHI HORIZON / MOMENTUM	STEEL	10	131g	NR0004
FRANCHI HORIZON / MOMENTUM	STEEL	20	130g	NR0005
REMINGTON 700 LONG ACTION	ALU	0	50g	NR0006
REMINGTON 700 LONG ACTION	ALU	20	50g	NR0007
REMINGTON 700 LONG ACTION	ALU	30	49g	NR0008
REMINGTON 700 LONG ACTION	STEEL	0	138g	NR0009
REMINGTON 700 LONG ACTION	STEEL	20	137g	NR0010
REMINGTON 700 LONG ACTION	STEEL	30	137g	NR0011
REMINGTON 700 SHORT ACTION	ALU	0	45g	NR0015
REMINGTON 700 SHORT ACTION	ALU	20	45g	NR0016
REMINGTON 700 SHORT ACTION	ALU	30	45g	NR0017
REMINGTON 700 SHORT ACTION	STEEL	0	126g	NR0018
REMINGTON 700 SHORT ACTION	STEEL	20	125g	NR0019
REMINGTON 700 SHORT ACTION	STEEL	30	125g	NR0020
TIKKA T3 / T3X	STEEL	0	151g	NR0036
TIKKA T3 / T3X	STEEL	20	144g	NR0037
TIKKA T3 / T3X	STEEL	30	140g	NR0038



TOOLS

SLOKY 5in1 TORQUE ADAPTER KIT / 2-6Nm

Modular torque screwdriver equipped with TORX bits, recommended for the assembly of AUDERE products and for whichever application requires a 2-6Nm torque. The set comes with a universal and ergonomic handle, a torque adapter and 3 high-quality bits (TX15, TX20, TX25).

Code AT0002

1 ×



1 ×



3 ×



(TX15, TX20, TX25)

SLOKY TORQUE ADAPTER / 8Nm

8Nm torque adapter to be used with the SLOKY 5in1 Torque Adapter Kit, recommended for the assembly of AUDERE products and for whichever application requires a 8Nm torque.

Code 8.0-TPK-ETA

1 ×



SLOKY 5in1 BUNDLE / 2-6Nm + 8Nm

Modular torque screwdriver bundle equipped with TORX bits, recommended for the assembly of AUDERE products and for whichever application requires a 2-6Nm and 8Nm torque. The set comes with a universal and ergonomic handle, two torque adapters and 3 high-quality bits (TX15, TX20, TX25).

Code AT0003

1 ×



1 ×



1 ×



3 ×



(TX15, TX20, TX25)

WHAT'S NEXT



QUICK-DETACH SCOPE MOUNT

DIAMETER
30mm
34mm
35mm
36mm
40mm



BOLT ACTION RIFLE

CALIBER	BARREL	TWIST
.223 Remington	18"	1:7"
6mm ARC	18"	1:7.5"
6.5 Creedmoor	24"	1:8"
.308 Winchester	24"	1:10"



LARGE CALIBER SELF-TIMING MUZZLE BRAKE

CALIBER
.338
.375
.408
.416
.50



BOLT ACTION CHASSIS SYSTEM

PLATFORM
Remington 700
Franchi Horizon/Momentum
Tikka T3
CZ 455/457





VISIT US AT
WWW.AUDERE.SM



@auderersm



AUDERE SRL

STRADA DEGLI ANGARIARI, 25
47891 ROVERETA, REPUBLIC OF SAN MARINO

CONTACTS

+378 0549 963180
info@audere.sm

ALL AUDERE MATERIALS ARE FOR INFORMATIONAL PURPOSES ONLY AND DO NOT CONSTITUTE ANY BINDING OBLIGATIONS OR AGREEMENT BY AUDERE. ALL CLAIMS ABOUT PERFORMANCE AND PERFORMANCE CHARACTERISTICS ASSUME A RESPONSIBLE USAGE OF THE PRODUCT. AUDERE RESERVES THE RIGHT TO CHANGE SPECIFICATIONS OF PRODUCTS AT ANY TIME WITHOUT NOTICE.

